

If you use this list please use the following citation:

Siciński J., Jazdzewski K., De Broyer C., Presler P., Ligowski R., Nonato E.F., Corbisier T.N., Petti M.A.V., Brito T.A.S., Lavrado H.P., Błażewicz-Paszkowycz M., Pabis K., Jazdzewska A., Campos L.S., 2011. [Admiralty Bay Benthos Diversity - A census of a complex polar ecosystem](#). Deep Sea Research Part II: Topical Studies in Oceanography, 58 (1-2), 30-48.

## **Foraminifera from Admiralty Bay (species list in alphabetic order)**

[Adercotryma glomerata](#) (Brady, 1878)  
[Allogromia cf. crystallifera](#) Dahlgren, 1962  
[Ammobaculites](#) sp.  
[Ammodiscus incertus](#) (d'Orbigny, 1839)  
*Ammodiscus incertus discoideus* Cushman, 1917  
[Ammonia beccarii](#) (Linnaeus, 1758)  
*Ammopemphix quadrupla* (Wiesner, 1931)  
[Ammovertellina](#) sp.  
[Angulogerina earlandi](#) Parr, 1950  
[Armorella sphaerica](#) Heron-Allen & Earland, 1932  
[Astrammia rara](#) Rhumbler 1931  
[Astrammia triangularis](#) Earland, 1933  
[Astrononion antarcticus](#) Parr, 1950  
[Astrononion echolsi](#) Kennett, 1967  
[Astrorhiza](#) sp.  
[Atlantiella atlantica](#) (Parker, 1952)  
[Bathysiphon alba](#) (Heron-Allen & Earland, 1932)  
[Bathysiphon cf. argenteus](#) Heron-Allen & Earland, 1913  
[Bathysiphon cf. flexilis](#) Höglund, 1947  
[Bathysiphon hirudinea](#) (Heron-Allen & Earland, 1932)  
*Bigennerina minutissima* (Earland, 1933)  
[Bolivinella pseudopunctata](#) (Höglund, 1947)  
[Bowseria arctowskii](#) Sinniger, Lecroq, Majewski & Pawłowski, 2008  
*Buccella peruviana* (d'Orbigny, 1839)  
[Bulimina elongata](#) d'Orbigny, 1826  
[Cassidulinoides parkerianus](#) Brady, 1881  
[Cassidulinoides porrectus](#) Heron-Allen & Earland, 1932  
*Cibicides mackannai* (Galloway & Wissler, 1927)  
[Cibicides refulgens](#) Montfort, 1808  
[Cornuspira involvens](#) (Reuss, 1850)  
[Cribroelphidium poeyanum](#) (d'Orbigny, 1826)  
[Cribroelphidium webbi](#) Majewski, 2009  
[Cribrostomoides jeffreysi](#) (Williamson, 1858)  
[Crithionina cf. granum](#) Goës, 1894  
[Dentalina communis](#) (d'Orbigny, 1826)  
[Earlandammia drakensis](#) Brönnimann & Whittaker, 1988  
[Eggerella minuta](#) Oki, 1989  
[Epistominella exigua](#) (Brady, 1884)  
*Fissurina cf. trigonomarginata* (Parker & Jones, 1865)  
*Fissurina crebra* (Matthes, 1939)  
[Fissurina](#) sp. 1  
[Fissurina](#) sp. 2

[\*Gaudryina exilis\* Cushman & Brönnimann, 1948](#)  
[\*Glandulina antarctica\* Parr, 1950](#)  
[\*Globocassidulina biora\* Voloshinova, 1960](#)  
[\*Globocassidulina crassa\* d'Orbigny, 1839](#)  
[\*Globocassidulina subglobosa\* \(Brady, 1881\)](#)  
[\*Globofissurella\* sp.](#)  
[\*Gloiogullmia\* sp. 1](#)  
[\*Gloiogullmia\* sp. 2](#)  
[\*Glomospira gordialis\* \(Jones & Parker, 1860\)](#)  
[\*Gordiospira fragilis\* Heron-Allen & Earland, 1932](#)  
[\*Hemisphaerammina bradyi\* Loeblich & Tappan, 1957](#)  
*Hippocrepina* cf. *crassa*  
[\*Hormosina pilulifera\* \(Brady, 1884\)](#)  
*Hormosinella ovicula gracilis* (Earland, 1933)  
[\*Hyalinonetrion gracillima\* \(Seguenza, 1862\)](#)  
[\*Lagen\* cf. \*heronallenii\* Buchner, 1940](#)  
*Lagen* *squamososulcata* Heron-Allen & Earland, 1922  
*Lagen* *subacuticosta* Parr, 1950  
[\*Lagenammina arenulata\* \(Skinner, 1961\)](#)  
[\*Laryngosigma hyalascidia\* Loeblich & Tappan, 1953](#)  
[\*Lenticulina\* sp.](#)  
*Leptohalysis scottii* (Chaster, 1892)  
[\*Lobatula lobatula\* \(Walker & Jacob, 1798\)](#)  
[\*Micrometula\* sp.](#)  
[\*Miliammina arenacea\* \(Chapman, 1916\)](#)  
[\*Miliammina earlandi\* Topsent, 1908](#)  
[\*Miliammina lata\* Heron-Allen & Earland, 1930](#)  
[\*Nemogullmia\* sp.](#)  
[\*Neogloboquadrina pachyderma\* \(Ehrenberg, 1861\)](#)  
[\*Neoponides\* sp.](#)  
*Nodulina kerguelensis* (Parr, 1950)  
*Nodulina subdentaliniformis* (Parr, 1950)  
[\*Nonionella bradii\* Chapman, 1916](#)  
[\*Nonionella iridea\* Heron-Allen & Earland, 1932](#)  
[\*Oolina felsinea\* Fornasini, 1894](#)  
*Oolina globosa caudigera* (Wiesner, 1931)  
[\*Oolina lineata\* \(Williamson, 1848\)](#)  
[\*Parafissurina fusiformis\* \(Wiesner, 1931\)](#)  
[\*Paratrochammina bartrami\* Hedley, Hurdle & Burdett, 1967](#)  
[\*Paratrochammina lepida\* Brönnimann & Whittaker, 1986](#)  
[\*Patellina corrugata\* Williamson, 1858](#)  
*Pelosina* aff. *sphaeriloculum*  
[\*Pelosina didera\* \(Loeblich & Tappan, 1953\)](#)  
[\*Phainogullmia\* cf. \*aurata\* Nyholm, 1955](#)  
[\*Planispirinoides\* sp.](#)  
[\*Portatrochammina antarctica\* Parr, 1950](#)  
[\*Portatrochammina karica\* \(Shchedrina, 1946\)](#)  
[\*Procerolagena gracilis\* Williamson, 1848](#)  
*Protonina decorata* Earland, 1933  
[\*Psammophaga\* sp.](#)

[\*Psammosphaera fusca\* Schultze, 1875](#)  
[\*Psammosphaera rustica\* Heron–Allen & Earland, 1912](#)  
[\*Pseudobolivina antarctica\* \(Wiesner, 1931\)](#)  
[\*Pseudobulimina chapmani\* \(Heron-Allen & Earland, 1922\)](#)  
[\*Pseudofissurina mccullochae\* Jones, 1984](#)  
[\*Pseudononion atlanticum\* \(Cushman, 1947\)](#)  
[\*Pullenia subcarinata\* d'Orbigny, 1839](#)  
[\*Pyrgo bulloides\* d'Orbigny, 1826](#)  
[\*Pyrgo depressa\* \(d'Orbigny, 1826\)](#)  
[\*Pyrgo williamsoni\* \(Silvestri, 1923\)](#)  
[\*Quinqueloculina seminulum\* \(Linnaeus, 1758\)](#)  
[\*Quinqueloculina lamarckiana\* d'Orbigny, 1839](#)  
[\*Quinqueloculina\* sp. 1](#)  
[\*Quinqueloculina\* sp. 2](#)  
[\*Quinqueloculina\* sp. 3](#)  
[\*Quinqueloculina\* sp. 4](#)  
[\*Quinqueloculina vulgaris\* d'Orbigny, 1826](#)  
[\*Quinqueloculina weaveri\* Rau, 1948](#)  
[\*Recurvoidella bradyi\* \(Robertson, 1891\)](#)  
[\*Recurvoides contortus\* Earland, 1934](#)  
[\*Reophax dentaliniformis\* Brady, 1881](#)  
[\*Reophax scorpiurus\* Montfort, 1808](#)  
[\*Reophax subdentaliniformis\* Parr, 1950](#)  
[\*Reophax subfusiformis\* Earland, 1933](#)  
[\*Rhabdammina\* sp.](#)  
[\*Rosalina globularis\* d'Orbigny, 1826](#)  
[\*Rosalina williamsoni\* \(Chapman & Parr, 1932\)](#)  
[\*Saccamina\* sp.](#)  
[\*Saccorhiza\* sp.](#)  
[?\*Sigmoilina\* sp.](#)  
[\*Sorosphaera\* sp.](#)  
[\*Spiroplectammina biformis\* \(Parker & Jones, 1865\)](#)  
[\*Spiroplectammina filiformis\* \(Earland, 1934\)](#)  
[\*Spiroplectammina subfusiformis\* Earland](#)  
[\*Stainforthia\* cf. \*concava\* \(Höglund, 1947\)](#)  
[\*Stainforthia fusiformis\* \(Williamson, 1848\)](#)  
[\*Textularia antarctica\* Wiesner, 1931](#)  
[\*Textularia earlandi\* Parker, 1952](#)  
[\*Tholosina centroforata\* Rhumbler, 1935](#)  
[\*Thurammia corrugata\* Earland, 1934](#)  
[\*Tinogullmia\* sp.](#)  
[\*Tolypammia vagans\* \(Brady, 1879\)](#)  
[\*Trifarina angulosa\* \(Williamson, 1858\)](#)  
[\*Triloculinella antarctica\* \(Kennett, 1967\)](#)  
[\*Vanhoeffenella gaussi\* Rhumbler, 1905](#)  
[\*Veleroninoides wiesneri\* \(Parr, 1950\)](#)  
[\*Verneuilina minuta\* Weisner, 1931](#)  
[\*Webbinella limosai\* Earland, 1933](#)

**Information confirming the presence of the above mentioned species in Admiralty Bay can be found in the following papers:**

Gaździcki and Majewski 2003; Majewski 2005, 2010; Majewski et al. 2007; Majewski and Tatur 2009; Rodrigues 2008; Rodrigues et al. 2010; Sinniger et al. 2008; Wägele and Brito 1990. [\(PDF\)](#)

**Many other data on the species listed above one can find in the databases:**

The SCAR-MarBIN Register of Antarctic Marine Species (RAMS) at <http://www.scarmarbin.be/index.php>

World Register of Marine Species (WoRMS) at <http://www.marinespecies.org/index.php>