

If you use this list please use the following citation:

Siciński J., Jazdzewski K., De Broyer C., Presler P., Ligowski R., Nonato E.F., Corbisier T.N., Petti M.A.V., Brito T.A.S., Lavrado H.P., Błażewicz-Paszkowycz M., Pabis K., Jazdzewska A., Campos L.S., 2011. [Admiralty Bay Benthos Diversity - A census of a complex polar ecosystem](#). Deep Sea Research Part II: Topical Studies in Oceanography, 58 (1-2), 30-48.

Isopoda from Admiralty Bay (species list in alphabetic order)

[Aegiochus antarctica](#) (Hodgson, 1910)
[Antarcturus hempeli](#) Wägele, 1988
[Austrofilius cf. serratus](#) Vanhöffen, 1914
[Austrofilius furcatus](#) Hodgson, 1910
[Austrosignum grande](#) Hodgson, 1910
[Caecognathia antarctica](#) (Studer, 1884)
[Caecognathia calva](#) (Vanhoeffen, 1914A)
[Caecognathia polaris](#) (Hodgson, 1902)
[Ceratoserolis trilobitoides](#) (Eights, 1833)
[Chaetarcturus longispinosus](#) Brandt, 1990
[Coperonus](#) sp.
[Coulmannia](#) sp.
[Cymodocella tubicauda](#) Pfeffer, 1887
[Dolichiscus meridionalis](#) (Hodgson, 1910)
[Echinozone quadrispinosa](#) (Beddard, 1886)
[Echinozone spinosa](#) Hodgson, 1902
[Ectias](#) sp.
[Edotia oculopetiolata](#) Sheppard, 1957
[Eurycope](#) sp.
[Fissarcturus minutus](#) (Brandt, 1990)
[Frontoserolis reptans](#) (Brandt, 1988)
[Glyptonotus antarcticus](#) Eights, 1852
[Ianiropsis](#) sp.
[Ianthopsis nasicornis](#) Vanhöffen, 1914
[Iathrippa sarsi](#) (Pfeffer, 1887)
[Ilyarachna](#) sp.
[Janirella](#) sp. 1
[Janirella](#) sp. 2
[Janiridae](#) gen. sp. 1
[Janiridae](#) gen. sp. 2
[Joeropsis](#) sp.
[Leptanthura glacialis](#) Hodgson, 1910
[Litarcturus antarcticus](#) (Bouvier, 1910)
[Litarcturus granulatus](#) (Nordenstam, 1933)
[Munna antarctica](#) (Pfeffer, 1887)
[Munna bituberculata](#) Nordenstam, 1933
[Munna globicauda](#) Vanhöffen, 1914
[Munna jazdzewskii](#) Teodorczyk & Waegele, 1994
[Munna longipoda](#) Teodorczyk & Waegele, 1994
[Munna neglecta](#) Monod, 1931C
[Munna pallida](#) Beddard, 1886
[Munna](#) sp.

[Munna spicata Teodorczyk & Waegele, 1994](#)
[Natatolana meridionalis Hodgson, 1910](#)
[Natatolana oculata Vanhöffen, 1914](#)
[Notopais quadrispinosa \(Beddard, 1886\)](#)
[Notopais sp.](#)
[Paramunna lunata \(Hale, 1937\)](#)
[Paramunna sp.](#)
[Paraserolis polita \(Pfeffer, 1887\)](#)
[Phycolimmoria sp. n. \(?\)](#)
[Plakarthritis punctatissimum \(Pfeffer, 1887\)](#)
[Pseudidothea scutata \(Sheppard, 1957\)](#)
[Santia charcoti \(Richardson, 1906\)](#)
[Santia mawsoni \(Hale, 1937\)](#)
[Septemserolis ovata \(Sheppard, 1957\)](#)
[Serolella bouvieri \(Richardson, 1906B\)](#)
[Spinoserolis beddardi \(Calman, 1920\)](#)
[Uromunna sp.](#)

Information confirming the presence of the above mentioned species in Admiralty Bay can be found in the following papers:

Arnaud et al. 1986; Brandt 1990; Corbisier et al. 2004; Echeverria et al. 2005; Janecki and Rakusa-Suszczewski 2006; Janecki et al. 2010; Jażdżewski and Siciński 1993; Linkowski et al. 1983; Malyutina - unpub. data; Nędzarek 2008; Nonato et al. 2000; Pires and Sumida 1997; Presler 1986, 1993a; Teodorczyk - unpub. data; Teodorczyk and Wägele 1994; Wägele and Brito 1990. ([PDF](#))

Many other data on the species listed above one can find in the databases:

The SCAR-MarBIN Register of Antarctic Marine Species (RAMS) at <http://www.scarmarbin.be/index.php>

World Register of Marine Species (WoRMS) at <http://www.marinespecies.org/index.php>