

If you use this list please use the following citation:

Siciński J., Jazdzewski K., De Broyer C., Presler P., Ligowski R., Nonato E.F., Corbisier T.N., Petti M.A.V., Brito T.A.S., Lavrado H.P., Błażewicz-Paszkowycz M., Pabis K., Jazdzewska A., Campos L.S., 2011. [Admiralty Bay Benthos Diversity - A census of a complex polar ecosystem](#). Deep Sea Research Part II: Topical Studies in Oceanography, 58 (1-2), 30-48.

## **Nematoda from Admiralty Bay (species list in alphabetic order)**

[\*Acantholaimus\* sp.](#)  
[\*Actinonema\* sp.](#)  
[\*Aegialolaimus\* sp.](#)  
[\*Amphimonhystrella\* sp.](#)  
[\*Anticoma\* sp.](#)  
[\*Antomicron\* sp.](#)  
[\*Aponema\* sp.](#)  
[\*Araeolaimus\* sp.](#)  
[\*Ascolaimus\* sp.](#)  
[\*Axonolaimus\* sp.](#)  
[\*Bolbolaimus\* sp.](#)  
[\*Camacolaimus\* sp.](#)  
[\*Campylaimus\* sp.](#)  
[\*Cephalanticoma\* sp.](#)  
[\*Chaetonema\* sp.](#)  
[\*Cheironchus\* sp.](#)  
[\*Chromadora\* sp.](#)  
[\*Chromadorina\* sp.](#)  
[\*Chromadorita\* sp.](#)  
[\*Cobbia\* sp.](#)  
[\*Comesa\* sp.](#)  
[\*Crenopharynx\* sp.](#)  
[\*Cyatholaimus\* sp.](#)  
[\*Daptonema\* sp.](#)  
[\*Desmodora\* sp.](#)  
[\*Desmolaimus\* sp.](#)  
[\*Desmoscolex\* sp.](#)  
[\*Dichromadora\* sp.](#)  
[\*Diplolaimella\* sp.](#)  
[\*Diplopeltoides\* sp.](#)  
[\*Dorylaimopsis\* sp.](#)  
[\*Eleutherolaimus\* sp.](#)  
[\*Elzalia\* sp.](#)  
[\*Ethmolaimus\* sp.](#)  
[\*Eumorpholaimus\* sp.](#)  
[\*Gammarinema\* sp.](#)  
[\*Gomphionchus\* sp.](#)  
[\*Halalaimus\* sp.](#)  
[\*Halichoanolaimus\* sp.](#)  
[\*Haliplectus\* sp.](#)  
[\*Hopperia\* sp.](#)  
[\*Karkinochromadora\* sp.](#)

Laimella sp.  
Leptolaimus sp.  
Linhomoeus sp.  
Linhystera sp.  
Marylynnia sp.  
Megadesmolaimus sp.  
Mesacanthion sp.  
Metacomesoma sp.  
Metalinhomoeus sp.  
Metasphaerolaimus sp.  
Metoncholaimus sp.  
Microlaimus sp.  
Molgolaimus sp.  
Monhystera sp.  
Monoposthia sp.  
Nannolaimoides sp.  
Nemanema sp.  
Neochromadora sp.  
Odontophora sp.  
Oncholaimellus sp.  
Oxystomina sp.  
Pandolaimus sp.  
Paracanthonchus sp.  
Parachromadorita sp.  
Paracomesoma sp.  
Paracyatholaimoides sp.  
Paracyatholaimus sp.  
Paralinhomoeus sp.  
Paralongicyatholaimus sp.  
Paramesacanthion sp.  
Paramicrolaimus sp.  
Paramonhystera sp.  
Phanoderma sp.  
Pierrickia sp.  
Pomponema sp.  
Prochromadora sp.  
Prochromadorella sp.  
Promonhystera sp.  
Pseudosteineria sp.  
Pterygonema sp.  
Rhinema sp.  
Rhips sp.  
Rhynchonema sp.  
Sabatieria sp.  
Setosabatieria sp.  
Southerniella sp.  
Sphaerolaimus sp.  
Steineria sp.  
Stylotheristus sp.  
Subsphaerolaimus sp.

*Terschellingia* sp.  
*Theristus* sp.  
*Thoracostoma* sp.  
*Trichotheristus* sp.  
*Viscosia* sp.  
*Wieseria* sp.

**Information confirming the presence of the above mentioned species in Admiralty Bay can be found in the following papers:**

Gheller 2007; Skowronski 2002; Skowronski et al. 1998. ([PDF](#))

**Many other data on the species listed above one can find in the databases:**

The SCAR-MarBIN Register of Antarctic Marine Species (RAMS) at  
<http://www.scarmarbin.be/index.php>

World Register of Marine Species (WoRMS) at  
<http://www.marinespecies.org/index.php>